





(FRA)	Instructions de montage
(CZA)	Pokyny pro montáž
(DAN)	Monteringsveiledning
(DEU)	Einbauanleitung
(ENG)	Installation instructions
(ESP)	Istrucciones de montaje
(EST)	Paigaldusjuhised
(FIN)	Asennusohje
(GRK)	Οδηγίες συναρμολόγησης
(CRO)	Návod k montáži
(HUN)	Beépítési utasítások
(ITA)	Istruzioni per il montaggio
(JPN)	取付説明書

(KOR)	조립설명서
(LTH)	Montavimo instrukcija
(LET)	Montāžas instrukcijas
(NLD)	Inbouwhandleiding
(NOR)	Monteringsveiledning
(PLK)	Instrukcje wbudowania
(PTG)	Instruções de montagem
(ROM)	Instructiuni de montaj
(RUS)	Инструкция по монтажу
(SLK)	Návod na zabudovanie
(SLV)	Navodila za inštalacijo
(SWE)	Montageanvisning
(TRK)	Montaj talimatları


ILS **E6** Type TB1

55R-01 0930


CLASS A 50 X

D VALUE 20,55 kN


S VALUE 350 Kg



kg




kg



D-value

$$D = \frac{\begin{matrix} \text{Car} & \text{Truck} \\ \text{Car} & \text{Truck} \end{matrix} \times \begin{matrix} \text{Car} & \text{Truck} \\ \text{Car} & \text{Truck} \end{matrix}}{\begin{matrix} \text{Car} & \text{Truck} \\ \text{Car} & \text{Truck} \end{matrix} + \begin{matrix} \text{Car} & \text{Truck} \\ \text{Car} & \text{Truck} \end{matrix}} \times \frac{9,81}{1000} = 20,55 \text{ kN}$$




24



24

8156



A : 1
B : HM 16 x 45 Cl 8.8 2
C : CS 16 2
D : M 16 Cl 8 2



M16 - cl 8.8 - 166 Nm

